

# Accore™

LUXURY VINYL FLOORING

*Escape into quiet luxury.*

 **Tarkett** Hospitality

# Accore™

---

Designed to deliver an outstanding experience.

With Accore™ luxury vinyl flooring, what you see is only the beginning of what you get. Discover better engineering in every detail—like heavy-duty resistance to high heels and rolling luggage, waterproof installation, and incredible

comfort underfoot. But our favorite part of Accore™ is its quiet disposition—with an IIC rating of 68 that lets you welcome guests with a tranquil escape.



## **Rigid Core**

Overcomes subfloor imperfections, unlike traditional luxury vinyl tile.

## **Durable**

Resists the stresses of modern day hospitality environments, from heavy rolling suitcases to high heels and heavy furniture.

## **Waterproof**

Safe to use in guestrooms, kitchenettes and bathrooms.

## **Easy Installation**

Its easy click, drop-lock system is faster than traditional installation systems, saving you time and money.

## **Quiet**

IIC rating of 68 means superior sound absorption to drastically improve overall comfort.

## **Thermal Stability**

designed to handle wide temperature fluctuations from windows and sunlight.



Realistic Embossing

Barrel 0002

**Make your design visions a reality through a variety of on-trend designs.**

Accore™ is a rigid core construction engineered from the inside, out—and designed to outperform the extreme demands of today’s hospitality environments. Accore™ resists heavy rolling luggage, high heels and heavy furniture, plus a variety of unavoidable mishaps like splashes and spills. The thermal stability provides resistance to buckling, denting and warping. With beautiful, authentic-looking designs, an easy, no-mess installation, and guaranteed long-term wear, Accore™ promises a better experience every step of the way.

**Installation**

Floating Floor	Quick and Simple Angle-Drop Click
Above/At/Below Grade	✓
3 Seasons Room	✓
No Temperature Limitations	✓
Acoustic Rating	Total IIC of 68 (6" Concrete Slab + Suspended Ceiling)





# Colorways



**Ashen 0001**  
7" x 48" and 7" x 60"



**Barrel 0002**  
7" x 48" and 7" x 60"



**Charcoal 0003**  
7" x 48" and 7" x 60"



**Fog 0004**  
7" x 48" and 7" x 60"



**Slate 0005**  
7" x 48" and 7" x 60"



**Warm Birch 0006**  
7" x 48" and 7" x 60"



**Alder Oak 0007**  
7" x 48" and 7" x 60"



**Ashwood Oak 0008**  
7" x 48" and 7" x 60"

# Colorways



**Blush 0009**  
7" x 48" and 7" x 60"



**Canyon Elm 0010**  
7" x 48" and 7" x 60"



**Cerused Oak 0011**  
7" x 48" and 7" x 60"



**Cocoa Elm 0012**  
7" x 48" and 7" x 60"



**Drift Oak 0013**  
7" x 48" and 7" x 60"



**Ecru Oak 0014**  
7" x 48" and 7" x 60"



**Fawn Elm 0015**  
7" x 48" and 7" x 60"



**Fumed Hickory 0016**  
7" x 48" and 7" x 60"

# Colorways




**Limed Oak 0017**  
7" x 48" and 7" x 60"



**Natural Oak 0018**  
7" x 48" and 7" x 60"



**Oxford Elm 0019**  
7" x 48" and 7" x 60"



**Tawny Chevron 0020**  
7" x 48" and 7" x 60"

Specialty Design



**Vale Oak 0021**  
7" x 48" and 7" x 60"




**Willow 0022**  
7" x 48" and 7" x 60"


# Matching Transitions

Available to match all Accore™ running line designs.

**Slim Cap P29**



**Slim Trim P29**





# Specifications

Total Thickness	5 mm	
SPC Core	4 mm	
Acoustical Backing Layer	1 mm IXPE	
Wear Layer Thickness	20 mil	
Edge Treatment	Micro-Bevel	
Material	Phthalate Free, 100% Virgin Material	
Reusable Content	100% Reclaimable	
Plank Size	7" x 48"	7" x 60"
Sq. Ft. Per Carton	23.64 sq. ft.	23.62sq. ft.
Planks Per Carton	10	8
Cartons Per Pallet	55	55
Lbs. Per Carton	38 lbs.	38 lbs.
ASTM F2199 (Dimensional Stability)	Passes	
ASTM F1914 (Residual Indentation)	Passes (PSI Equivalent > 5,000 lbs.)	
ASTM F1514 (Heat Stability)	Passes	
ASTM F1515 (Light Stability)	Passes	
ASTM E2179 (Impact Sound Reductions)	$\Delta$ IIC $\geq$ 20 dB	
IIC Impact Sound Reduction Rating	IIC 68	
ASTM F925 (Resistance to Chemicals)	Passes	
ASTM D5116 (VOC Requirements)	Passes < 0.1 mg/m <sup>3</sup>	
Scratch/Scuff/Abrasion Properties	Excellent	
Installation System	Click, Drop Lock System	
Certification	FloorScore® and Assure™ Certification	
Residential Warranty	Lifetime	
Light Commercial Warranty	15-Year	
3-Seasons Warranty	10-Year	



Explore the Collection









## Tarkett Hospitality

285 Kraft Drive  
Dalton, GA 30721  
800-871-3211

[www.tarketthospitality.com](http://www.tarketthospitality.com)

*For more accurate color and pattern representation,  
we suggest ordering an actual product sample.*

©Tarkett USA Inc. 2024