

Tandus Centiva

ADAPTT



WOODLOT Color: Pale Cypress SSP 2325
7.25" x 48"



ADAPTT



TILE + PLANK

Style: Woodlot
Oak Grove SSP 2322, Mirbeck Oak SSP 2324, Holly Oak SSP 2323
7.25" x 48"



farm fresh

MENU

APPS

- Organic Greens 7-
- Courgette Squash Oct 8-
- Stuffed Popovers Appons 9-
- Undermount Crab Cakes 10-



MAIN DISHES

- Smoked Pork Tenderloin 18-
- Pan Seared Sea Scallops 20-
- Roast of Lamb 25-
- Stuffed Boy Lob Eye 25-
- Mustard Rubbed Salmon 28-
- Special Coastal Duck 30-

FRIDAY SPECIALS

5 PM - 9 PM

SIDES



DESSERTS

- Apple Pie 7-
- Banana Blueberry Pie 7-
- Hot Cream Pudding 7-

- Wedge Salad 5-
- Caesar Salad 7-
- Colorado Steamed 10-
- House Soup 10-
- Roastable Potato 12-



TILE + PLANK

ADAPTT

Style: Woodlot
Cherrywood SSP 2314
6" x 36"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Coventry SSP 2315
7.25" x 48"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Bastogne Walnut SSP 2327
7.25" x 48"

Tandus Centiva



LVT
TILE + PLANK

ADAPTT
Style: Woodlot
Chestnut SSP 2317
7.25" x 48"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Brunswick SSP 2321, Woodstock SSP 2320, Aragon SSP 2319
7.25" x 48"



Tandus Centiva



ADAPTT



TILE + PLANK

Style: Woodlot
Hiroki Oak SSP 2329
7.25" x 48"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Valley Oak SSP 2316
6" x 36"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Woodland SSP 2328
7.25" x 48"

Tandus Centiva



TILE + PLANK

ADAPTT

Style: Woodlot
Whitewashed SSP 2318
7.25" x 48"

Tandus Centiva



ADAPTT



TILE + PLANK

Style: Stonewalk
Keystone SST 2303, Gatehouse SST 2300, Cement SST 2301
36" x 36"




Tandus Centiva



TILE + PLANK

ADAPTT

Style: Stonewalk
Cement SST 2301
36" x 36"



Tandus Centiva

SIZE AVAILABILITY AND PACKAGING


ADAPTT

Stonewalk	Size	36" x 36"
	Quantity	4 tiles per ctn 36 sq. ft. per ctn
	Weight	61 lbs. per ctn

Woodlot	Sizes	6" x 36"	7.25" x 48"
	Quantity	16 planks per ctn 24 sq. ft. per ctn	10 tiles per ctn 24.2 sq. ft. per ctn
	Weight	41 lbs. per ctn	41 lbs. per ctn

ADAPTT

WOODS




WHITEWASHED




MIRBECK OAK




OAK GROVE




HOLLY OAK




PALE CYPRESS




HIROKI OAK




COVENTRY



WOODLAND



BASTOGNE WALNUT




CLARO WALNUT




ARAGON



BRUNSWICK



WOODSTOCK



VALLEY OAK



CHESTNUT



CHERRYWOOD

STONE



CEMENT



MILLSTONE



KEYSTONE



GATEHOUSE

Tandus Centiva



TILE + PLANK

ADAPTT

SPECIFICATIONS

Classification:	ASTM F1700 Class III Type B
Total Thickness:	0.177" (4.5 mm)
Wear Layer Thickness:	20 mil (0.55 mm)
Edge Treatment:	Microbeveled
Emboss:	Standard Emboss
Warranty:	10-Year Limited Commercial Wear Warranty
Colors:	20

TESTING

Slip Resistance:	ASTM D2047	SCOF ≥ 0.6
Flammability:	ASTM E648	>.45 w/cm ²
Smoke Density:	ASTM E662	<450
Staining:	ASTM F925	Good
Static Load:	ASTM F970	Passes
Dimensional Stability:	ASTM F2199	Passes
Resistance to Heat:	ASTM F1514	$\Delta E < 8$
Resistance to Light:	ASTM F1515	$\Delta E < 8$
Impact Sound Reductions:	ASTM E2179	$\Delta IIC 12$
		FloorScore® Certification
		Phthalate-free

ENVIRONMENTAL DATA

Materials:	No Heavy Metals; Phthalate-free
Indoor Air Quality:	FloorScore® Certification
Recyclability:	100% Recyclable through our ReStart® Program

For samples, warranties and more information, visit tandus-centiva.com or call 800.248.2878.

08/2017



THE ULTIMATE FLOORING EXPERIENCE