



RESISTANCE
TEMPT COLLECTION

RESISTANCE





Immersed with artisanal aesthetics
of batik and shibori accentuating
the dimensions of unfolded fabric
after dyeing.



CORRIDOR

RESISTANCE

CORRIDOR



COLOR 168

PRODUCT SPECIFICATIONS

Product ID:	RE001
Name:	Resistance
Construction:	Intrepid - Multi-Level Loop Tip Shear
Fiber Content:	100% C.F. Lextron Enviro-Green® Solution Dyed Nylon
Pattern Repeat:	90" x 144"
Tufted Pile Weight:	42 oz./sq. yd.
Finished Pile Height:	approx. 0.250"/0.187"/0.062"
Primary Backing:	Woven Polypropylene
Secondary Backing:	Unitary w/Actionbac®
Total Weight:	approx. 78 oz./sq. yd.
Yarn Size:	1360/2 ply
Gauge:	1/10
Width:	15 ft.
Radiant Panel:	Class 1
Smoke Density:	Less than 450
Warranty:	10 Year Wear
Traffic Class:	Heavy (Corridor/Public Areas)



COLOR 199



COLOR 194



PUBLIC SPACE



A 8518 B 5003 C 5503

COLOR 268

PRODUCT SPECIFICATIONS

- Product ID: RE002
- Name: Resistance II
- Construction: Intrepid – Multi-Level Loop Tip Shear
- Fiber Content: 100% C.F. Lextron Enviro-Green® Solution Dyed Nylon
- Pattern Repeat: 90" x 102"
- Tufted Pile Weight: 42 oz./sq. yd.
- Finished Pile Height: approx. 0.250"/0.187"/0.062"
- Primary Backing: Woven Polypropylene
- Secondary Backing: Unitary w/Actionbac®
- Total Weight: approx. 78 oz./sq. yd.
- Yarn Size: 1360/2 ply
- Guage: 1/10
- Width: 15 ft.
- Radiant Panel: Class 1
- Smoke Density: Less than 450
- Warranty: 10 Year Wear
- Traffic Class: Heavy (Corridor/Public Areas)



A 8517 B 4510 C 8503

COLOR 299



A 7511 B 7508 C 3510

COLOR 294



PUBLIC SPACE



COLOR 268

PRODUCT SPECIFICATIONS

- Product ID: RE003
- Name: Resistance III
- Construction: Intrepid – Multi-Level Loop Tip Shear
- Fiber Content: 100% C.F. Lextron Enviro-Green® Solution Dyed Nylon
- Pattern Repeat: 90" x 114"
- Tufted Pile Weight: 42 oz./sq. yd.
- Finished Pile Height: approx. 0.250"/0.187"/0.062"
- Primary Backing: Woven Polypropylene
- Secondary Backing: Unitary w/Actionbac®
- Total Weight: approx. 78 oz./sq. yd.
- Yarn Size: 1360/2 ply
- Guage: 1/10
- Width: 15 ft.
- Radiant Panel: Class 1
- Smoke Density: Less than 450
- Warranty: 10 Year Wear
- Traffic Class: Heavy (Corridor/Public Areas)



COLOR 299



COLOR 294



PUBLIC SPACE

COLOR 268

PRODUCT SPECIFICATIONS

Product ID: RE004

Name: Resistance IV

Construction: Intrepid – Multi-Level Loop Tip Shear

Fiber Content: 100% C.F. Lextron Enviro-Green®
Solution Dyed Nylon

Pattern Repeat: 45" x 45"

Tufted Pile Weight: 42 oz./sq. yd.

Finished Pile Height: approx. 0.250"/0.187"/0.062"

Primary Backing: Woven Polypropylene

Secondary Backing: Unitary w/Actionbac®

Total Weight: approx. 78 oz./sq. yd.

Yarn Size: 1360/2 ply

Guage: 1/10

Width: 15 ft.

Radiant Panel: Class 1

Smoke Density: Less than 450

Warranty: 10 Year Wear

Traffic Class: Heavy (Corridor/Public Areas)



COLOR 299



COLOR 294



TRANSITION



COLOR 368

PRODUCT SPECIFICATIONS

Product ID: RE005

Name: Resistance V

Construction: Intrepid – Multi-Level Loop Tip Shear

Fiber Content: 100% C.F. Lextron Enviro-Green®
Solution Dyed Nylon

Pattern Repeat: 45" x 45"

Tufted Pile Weight: 42 oz./sq. yd.

Finished Pile Height: approx. 0.250"/0.187"/0.062"

Primary Backing: Woven Polypropylene

Secondary Backing: Unitary w/Actionbac®

Total Weight: approx. 78 oz./sq. yd.

Yarn Size: 1360/2 ply

Guage: 1/10

Width: 15 ft.

Radiant Panel: Class 1

Smoke Density: Less than 450

Warranty: 10 Year Wear

Traffic Class: Heavy (Corridor/Public Areas)



COLOR 399



COLOR 394



GUESTROOM



COLOR 468




COLOR 499



COLOR 494



COLOR 468



COLOR 499



COLOR 494

PRODUCT SPECIFICATIONS

- Product ID: RE006
- Name: Tulipa
- Construction: Dynamics – Servo-Loop Scroll Tip Shear
- Fiber Content: 100% C.F. Lextron Enviro-Green® Solution Dyed Nylon
- Pattern Repeat: 90" x 90"
- Tufted Pile Weight: 32 oz./sq. yd.
- Finished Pile Height: approx. 0.250"/0.187"/0.062"
- Primary Backing: Woven Polypropylene
- Secondary Backing: Actionbac®
- Total Weight: approx. 68 oz./sq. yd.
- Yarn Size: 1360/2 ply
- Gauge: 1/10
- Width: 12 ft.
- Radiant Panel: Class 1
- Smoke Density: Less than 450
- Warranty: 10 Year Wear
- Traffic Class: Moderate (Guestrooms)

PRODUCT SPECIFICATIONS

- Product ID: RE007
- Name: Adire
- Construction: Dynamics – Servo-Loop Scroll Tip Shear
- Fiber Content: 100% C.F. Lextron Enviro-Green® Solution Dyed Nylon
- Pattern Repeat: 12" x 12"
- Tufted Pile Weight: 32 oz./sq. yd.
- Finished Pile Height: approx. 0.250"/0.187"/0.062"
- Primary Backing: Woven Polypropylene
- Secondary Backing: Actionbac®
- Total Weight: approx. 68 oz./sq. yd.
- Yarn Size: 1360/2 ply
- Gauge: 1/10
- Width: 12 ft.
- Radiant Panel: Class 1
- Smoke Density: Less than 450
- Warranty: 10 Year Wear
- Traffic Class: Moderate (Guestrooms)





Lextron Enviro Green® contains 10% pre consumer waste. CRI Green Label Plus indoor air quality testing program certification # GLP2380.

Carpet should be installed in accordance with the Carpet and Rug Institute's Standard CRI-104. Carpet must be installed over manufacturer's recommended pad.

Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width directions. It is not a carpet defect, but is inherent in solution dyed graphic and cut and loop patterns.

All specifications are subject to normal manufacturing tolerances.

Due to the manufacturing process of a tip sheared product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Lexmark + Hospitality

285 Kraft Dr. | Dalton, GA 30721 | 800-871-3211 | www.lexmarkhospitality.com | edgebylexmark.com